



2015 product guide

ELEY®

**there's only one brand
that can claim their product
was used to win**

**100% gold at the
2014 World Championships...**

**14 out of 18
2012 Olympic medals...**

and achieve

4 world records set in 2014

there is only one brand

ELEY[®]
make every shot count



ELEY established in 1828, is now globally recognised as the manufacturer of the most consistently accurate .22LR rimfire ammunition in the world.

ELEY ammunition has been proudly made in the Great Britain and now resides at our highly technical production and testing facility in Birmingham, West Midlands.

Our team includes internationally recognised specialists with extensive knowledge in internal and external ballistics, powder dynamics and many Six Sigma qualified engineers.

Innovation and continuous product development separate **ELEY** from its competitors. **ELEY** have always been at the forefront of the ammunition industry, pushing technological boundaries which have resulted in patented new methodologies and techniques.

Our products, allow target shooters at Club, World and Olympic level to realise their potential and win. We produce technically superior ammunition, whilst providing an excellent service to target shooters throughout the world.

Dedication, commitment and innovation are at the heart of the **ELEY** philosophy. The result is demonstrated by the countless medal wins and World Records won with **ELEY** ammunition.

about us

ELEY tenex the world's most consistently accurate .22LR cartridge



designed for
professional and elite shooters

used for
50m prone
50m 3 positions
50m free pistol
benchrest

firearm
.22LR match rifle
.22LR free pistol

Our highly skilled engineers combine state of the art machinery with high speed electronic visual inspection systems and Six Sigma methodologies to produce the cartridges that have redefined .22LR accuracy across the world.

The iconic flat nose projectile of **ELEY** tenex is one of many innovations pioneered by **ELEY** engineers. As it cuts through the air its revolutionary design pulls the centre of pressure forwards, aerodynamically stabilizing the projectile and increasing accuracy at the target.

Precise manufacturing techniques form cartridge cases of uniform length from a tightly controlled brass alloy. This ensures each propellant charge burns in a controlled volume, delivering a consistent energy to each projectile.

Each cartridge is checked by a suite of analytical processes including computer controlled visual inspection and finely calibrated measuring equipment, all overseen by our extremely precise and meticulous engineers.

To achieve ultimate accuracy with **ELEY** tenex, a shooter should test their barrel. While **ELEY** tenex will offer inequitable results as standard, matching the barrel and ammunition at our technical test ranges could make the crucial difference in a competition. Our advanced proprietary software provides a wealth of information on each test result, helping the shooter find the best lot for their barrel. Testing is highly recommended by the top shooters around the world and the results speak for themselves, with 14 out of 18 Olympic medals and every 2014 World Champion winning using selected **ELEY** tenex.

technical information

bullet profile

flat nose

cartridge length

25.4mm / 1inch

bullet weight

2.59 grams (40 grains)

lubricant

beeswax-tallow

velocity

muzzle	331 m/sec (1085 ft/sec)
20m (22yds)	303 m/sec (994 ft/sec)
50m (55yds)	285 m/sec (935 ft/sec)

energy

muzzle	14.5 kg/m (105 ft/lb)
20m (22yds)	12.1 kg/m (88 ft/lb)
50m (55yds)	10.7 kg/m (78 ft/lb)

train harder



ELEY®
make every shot count

ELEY tenex biathlon, performance against the elements



designed for
professional and elite shooters

used for
biathlon

firearm
biathlon rifle

ELEY tenex biathlon launched in 2012 following comprehensive research and development of biathlon sport, the athletes and their needs. **ELEY** tenex was used as a platform on which to build this new cartridge.

The iconic flat nose projectile of **ELEY** tenex is one of many innovations pioneered by **ELEY** engineers. As it cuts through the air its revolutionary design pulls the centre of pressure forwards, aerodynamically stabilizing the projectile and increasing accuracy at the target.

Examination of bullet and chambering characteristics at freezing temperatures led to a reduction in the diameter of the cartridge to aid cycling in bolt-action or straight-pull biathlon rifles. A scientifically designed lubricant was developed to suit cold temperatures, aiding consistency and reducing barrel wear. **ELEY** tenex biathlon also benefits from an increased propellant charge giving the bullet enhanced terminal energy and a greater knock down force needed for the biathlon target.

ELEY tenex biathlon is only available from the **ELEY** cold test ranges located in Birmingham GB and Oslo Norway.

technical information

bullet profile	velocity	
flat nose	muzzle	331 m/sec (1085 ft/sec)
cartridge length	20m (22yds)	303 m/sec (994 ft/sec)
25.4mm / 1inch	50m (55yds)	285 m/sec (935 ft/sec)
bullet weight	energy	
2.59 grams (40 grains)	muzzle	14.5 kg/m (105 ft/lb)
lubricant	20m (22yds)	12.1 kg/m (88 ft/lb)
beeswax-tallow	50m (55yds)	10.7 kg/m (78 ft/lb)

for the ultimate in pistol performance



designed for
professional and elite shooters

used for
25m rapid fire pistol
25m sport pistol
25m pistol

firearm
.22LR rapid fire pistol
.22LR pistol
.22LR lightweight sport rifle (LSR)

Decades of continuous improvement have generated the perfect pistol round. Technical research and testing in ballistics, semi-automatic cycling, optimum bullet profiles, priming systems, case construction and the perfect lead alloy have enhanced **ELEY**'s knowledge in this sector. Comprehensive testing was undertaken to find the ultimate combination of these elements, to produce **ELEY** tenex pistol.

The benefits of this cartridge include a round nose bullet profile to ease feeding in semi-automatic pistols and rifles. The projectile is made from a high specification lead antimony alloy which reduces surface damage when cycled through the firearm.

Precise manufacturing techniques form cartridge cases of uniform length from a tightly controlled brass alloy. This ensures each propellant charge burns in a controlled volume, delivering a consistent energy to each projectile. Providing a controlled recoil pattern and rapid recovery of sight picture.

Accuracy with **ELEY** tenex pistol can be improved by matching the pistol and ammunition at our testing facilities in the USA and Germany, both have 25m and 50m lanes. The world's leading athletes all test their ammunition and leave nothing to chance

technical information

bullet profile

round nose

cartridge length

25.4mm / 1inch

bullet weight

2.59 grams (40 grains)

lubricant

beeswax-tallow

velocity

muzzle	331 m/sec (1085 ft/sec)
20m (22yds)	303 m/sec (994 ft/sec)
50m (55yds)	285 m/sec (935 ft/sec)

energy

muzzle	14.5 kg/m (105 ft/lb)
20m (22yds)	12.1 kg/m (88 ft/lb)
50m (55yds)	10.7 kg/m (78 ft/lb)

analyse further



ELEY®
make every shot count

renowned amongst elite competition shooters for its excellent accuracy and performance



designed for
professional and elite shooters

used for
50m prone
50m 3 positions
50m free pistol
benchrest

firearm
.22LR match rifle
.22LR free pistol

ELEY match is second in the world of .22LR accuracy and performance with **ELEY** tenex being the world number one. This cartridge benefits from the patented flat nose profile and the cut mouth case delivering consistent internal ballistics performance.

Each cartridge is checked by a suite of analytical processes including computer controlled visual inspection and finely calibrated measuring equipment, all overseen by our extremely precise and meticulous engineers.

technical information

bullet profile

flat nose

cartridge length

25.4mm / 1inch

bullet weight

2.59 grams (40 grains)

lubricant

beeswax-tallow

velocity

muzzle	331 m/sec (1085 ft/sec)
20m (22yds)	303 m/sec (994 ft/sec)
50m (55yds)	285 m/sec (935 ft/sec)

energy

muzzle	14.5 kg/m (105 ft/lb)
20m (22yds)	12.1 kg/m (88 ft/lb)
50m (55yds)	10.7 kg/m (78 ft/lb)



designed for
high level competitive shooters

used for
biathlon

firearm
biathlon rifle

The iconic flat nose projectile of **ELEY** match biathlon is one of many innovations pioneered by **ELEY** engineers. **ELEY** match biathlon has the some of the key features of **ELEY** tenex biathlon making it the perfect training round. As it cuts through the air its revolutionary design pulls the centre of pressure forwards, aerodynamically stabilizing the projectile and increasing accuracy at the target.

Examination of bullet and chambering characteristics at freezing temperatures led to a reduction in the diameter of the cartridge to aid cycling in bolt-action or straight-pull biathlon rifles. A scientifically designed lubricant was developed to suit cold temperatures, aiding consistency and reducing barrel wear. **ELEY** match biathlon also benefits from an increased propellant charge giving the bullet enhanced terminal energy and a greater knock down force needed for the biathlon target.

technical information

bullet profile	velocity	
flat nose	muzzle	331 m/sec (1085 ft/sec)
cartridge length	20m (22yds)	303 m/sec (994 ft/sec)
25.4mm / 1inch	50m (55yds)	285 m/sec (935 ft/sec)
bullet weight	energy	
2.59 grams (40 grains)	muzzle	14.5 kg/m (105 ft/lb)
lubricant	20m (22yds)	12.1 kg/m (88 ft/lb)
biathlon lube	50m (55yds)	10.7 kg/m (78 ft/lb)

breaking engineering boundaries with an innovative approach to improving accuracy



designed for
professional and elite shooters

used for
50m prone
50m 3 positions
50m free pistol
benchrest

firearm
.22LR match rifle
.22LR free pistol

This advanced, contemporary cartridge is instantly recognisable by its matt-black oxidised finish. Scientifically developed to microscopically increase the friction between the case and the projectile, the resulting stabilised projectile release force delivers greater internal ballistic consistency ultimately providing the shooter with more consistent projectile flight.

ELEY edge is part of our elite competition range and benefits from **ELEY** tenex technology such as a flat nose bullet profile.

ELEY edge can be tested and selected from our ranges in the UK, USA and Germany

technical information

bullet profile

flat nose

cartridge length

25.4mm / 1inch

bullet weight

2.59 grams (40 grains)

lubricant

beeswax-tallow

velocity

muzzle	331 m/sec (1085 ft/sec)
20m (22yds)	303 m/sec (994 ft/sec)
50m (55yds)	285 m/sec (935 ft/sec)

energy

muzzle	14.5 kg/m (105 ft/lb)
20m (22yds)	12.1 kg/m (88 ft/lb)
50m (55yds)	10.7 kg/m (78 ft/lb)

ELEY match osp designed for the Olympic Rapid Fire discipline



designed for
professional and elite shooters

used for
25m rapid fire pistol
25m pistol women
lightweight sport rifle (LSR)

firearm
.22LR rapid fire pistol
.22LR match pistol
.22LR lightweight sport rifle (LSR)

ELEY match osp is manufactured specifically to deliver competition performance and meet the ISSF rapid fire pistol velocity requirements. **ELEY** Match osp has a round-nosed profile to cycle in semi-automatic actions which also assists feeding and extraction.

ELEY match osp is produced using analytical processes, including computer controlled visual inspection and finely calibrated measuring equipment. Detailed testing and measuring processes undertaken by our highly-skilled engineers ensures minimum variance within each production lot.

technical information

bullet profile

round nose

cartridge length

25.4mm / 1inch

bullet weight

2.59 grams (40 grains)

lubricant

beeswax-tallow

velocity

muzzle	331 m/sec (1085 ft/sec)
20m (22yds)	303 m/sec (994 ft/sec)
50m (55yds)	285 m/sec (935 ft/sec)

energy

muzzle	14.5 kg/m (105 ft/lb)
20m (22yds)	12.1 kg/m (88 ft/lb)
50m (55yds)	10.7 kg/m (78 ft/lb)

focus longer

ELEY®
make every shot count

competition cartridge developed for the ultra-precise world of 50m Free Pistol



designed for
high level competitive shooters

used for
25m pistol women
50m free pistol

firearm
.22LR free pistol
.22LR pistol

ELEY match pistol had be designed to perform with a lower velocity providing reduced recoil and a softer feel, which improves pistol control and delivers rapid sight picture recovery.

Essential to the success of a Free Pistol shooter is the uniformity of each cartridge. To achieve this each **ELEY** match pistol round is checked by analytical processes, including computer controlled visual inspection and finely calibrated measuring equipment.

technical information

bullet profile

round nose

cartridge length

25.4mm / 1inch

bullet weight

2.59 grams (40 grains)

lubricant

beeswax-tallow

velocity

muzzle

20m (22yds)

50m (55yds)

331 m/sec (1085 ft/sec)

303 m/sec (994 ft/sec)

285 m/sec (935 ft/sec)

energy

muzzle

20m (22yds)

50m (55yds)

14.5 kg/m (105 ft/lb)

12.1 kg/m (88 ft/lb)

10.7 kg/m (78 ft/lb)

dedication
preparation
strategy



ELEY®
make every shot count

high velocity semi auto round designed for power and accuracy



designed for
high level competitive semi-auto shooters

used for
competitive semi-automatic rifle

firearm
.22LR semi-automatic rifle

ELEY force is a High velocity semi auto .22LR round designed for power. Featuring a new propellant utilising a distributed pressure curve, that accelerates the bullet to a high velocity providing greater knock-down force.

ELEY force is instantly recognisable with its unique black oxidised case finish which increases friction between the case and projectile. This regulates and controls the force required to eject the bullet, stabilising the projectile and increasing ballistic consistency and accuracy. **ELEY** force is a .22LR round that delivers both strong kick back and accuracy.

technical information

bullet profile

round nose

cartridge length

25.4mm / 1inch

bullet weight

2.7 grams (42 grains)

lubricant

paraffin wax

velocity

muzzle	366 m/sec (1200 ft/sec)
50m (55yds)	333 m/sec (1091 ft/sec)
91m (100yds)	311 m/sec (1019 ft/sec)

energy

muzzle	18 kg/m (133 ft/lb)
50m (55yds)	15 kg/m (110 ft/lb)
91m (100yds)	13 kg/m (96 ft/lb)

subsonic semi auto round with minimal recoil



designed for
high level competitive semi-auto shooters

used for
competitive semi-automatic rifle

firearm
.22LR semi-automatic rifle

ELEY contact is a subsonic semi auto .22LR round designed with a softer sound and minimal recoil. The reduced recoil delivers quicker sight picture recovery important for the competitive semi auto shooter. Both **ELEY** force and **ELEY** contact are engineered with a heavier 42 grain bullet for high energy and are coated in a specially formulated paraffin wax to minimise build up in actions and magazines.

technical information

bullet profile

round nose

cartridge length

25.4mm / 1inch

bullet weight

2.7 grams (42 grains)

lubricant

paraffin wax

velocity

muzzle	332 m/sec (1090 ft/sec)
50m (55yds)	313 m/sec (1026 ft/sec)
91m (100yds)	292 m/sec (958 ft/sec)

energy

muzzle	15 kg/m (110 ft/lb)
20m (22yds)	13 kg/m (97 ft/lb)
50m (55yds)	12 kg/m (85 ft/lb)

success



ELEY®
make every shot count

taking the next step with **ELEY** club



designed for
the club competition shooter

used for
50m prone
50m 3 position
50m free pistol
25m pistol women
25m rapid fire pistol
lightweight sport rifle (LSR)
silhouette

firearm
.22LR rifle
.22LR pistol
.22LR lightweight sport rifle (LSR)
.22LR semi-auto pistol

ELEY club is designed to offer enhanced performance over our entry-level **ELEY** sport cartridge. Each lot is tested to higher accuracy standards in order to meet the demanding requirements of the club shooter.

technical information

bullet profile

round nose

cartridge length

25.4mm / 1inch

bullet weight

2.59 grams (40 grains)

lubricant

beeswax-tallow

velocity

muzzle	331 m/sec (1085 ft/sec)
20m (22yds)	303 m/sec (994 ft/sec)
50m (55yds)	285 m/sec (935 ft/sec)

energy

muzzle	14.5 kg/m (105 ft/lb)
20m (22yds)	12.1 kg/m (88 ft/lb)
50m (55yds)	10.7 kg/m (78 ft/lb)

ELEY® club

introducing shooters to the world of **ELEY**'s consistency and accuracy



designed for
beginners and general .22LR shooting

used for
50m prone
50m 3 position
50m free pistol
25m pistol women
25m rapid fire pistol
lightweight sport rifle (LSR)
silhouette

firearm
.22LR rifle
.22LR pistol
.22LR lightweight sport rifle (LSR)
.22LR semi-auto pistol

Manufactured to **ELEY**'s strict internal specification, **ELEY** sport benefits from electronic visual inspection and rigorous test proofing. Small lot quantities and statistical process control techniques deliver reliability and performance in every round.

technical information

bullet profile

round nose

cartridge length

25.4mm / 1inch

bullet weight

2.59 grams (40 grains)

lubricant

beeswax-tallow

velocity

muzzle	331 m/sec (1085 ft/sec)
20m (22yds)	303 m/sec (994 ft/sec)
50m (55yds)	285 m/sec (935 ft/sec)

energy

muzzle	14.5 kg/m (105 ft/lb)
20m (22yds)	12.1 kg/m (88 ft/lb)
50m (55yds)	10.7 kg/m (78 ft/lb)

super accurate and super quiet



designed for
varmint shooters

used for
hunting

firearm
.22LR Rifle
.22LR Lightweight Sport Rifle (LSR)

ELEY subsonic hollow is a hunting cartridge with target shooting accuracy and reduced velocity, offering a quieter muzzle report compared to other .22LR hunting rounds.

With its innovative hollow nosed profile, the **ELEY** subsonic hollow projectile delivers unequalled expansion characteristics, resulting in short penetration with outstanding stopping power; essential features for vermin control. The non-greasy lubricant provides smooth operation in semi-automatic rifles and improves functioning in all weather conditions.

Increasingly popular with game keepers and land owners, **ELEY** subsonic hollow is regarded as one of the quietest and most accurate subsonic rounds on the market.

technical information

bullet profile

hollow point

cartridge length

25.4mm / 1inch

bullet weight

2.59 grams (40 grains)

lubricant

paraffin wax

velocity

muzzle	317 m/sec (1040 ft/sec)
20m (22yds)	303 m/sec (984 ft/sec)
50m (55yds)	285 m/sec (922 ft/sec)

energy

muzzle	13.3 kg/m (96 ft/lb)
20m (22yds)	11.9 kg/m (86 ft/lb)
50m (55yds)	10.4 kg/m (75 ft/lb)



why you should batch test with **ELEY**

Batch testing is designed to find the most accurate ammunition for your barrel to deliver results, records, and medals. Shooters demand excellence not only from themselves, but from their ammunition, barrel, and equipment. Only when athletes have total confidence in their barrel-ammo combination, can they train to perfect their own performance and reach the medals at the highest level.

how we batch test

We test your barrel with up to 20 batches (**ELEY** tenex) 10 batches (**ELEY** edge) and use a proven test methodology, electronic targets, and bespoke **ELEY** software to achieve the best results.

During testing 10 shots are fired from each batch and through each barrel until the best performing batches are shortlisted. A further 30 shots from those selections are fired until an overall 40 shot group size and consolidated score is recorded for each. Our bespoke **ELEY** software makes analysing the results fast, simple and very accurate, helping you to find that record-breaking batch.

features

- The range is designed to eliminate variables and create optimum conditions.
- Equipped with two lanes set at 50 meters and 25 meters with independent electronic target systems.
- Bench-rests with fixed vices and slave stocks to hold most firearm makes and models.
- **ELEY**'s patented software shows consolidated score for the total test.
- Purpose built with ventilation for fume extraction at both muzzle and breech.
- Testing takes place with either rifle or pistol.
- Assured availability of pre-selected batches of **ELEY** Tenex and **ELEY** edge from the factory production lines, with up to 20 batches to select from.

benefits

- Test batches of variable velocities and extreme spreads from all five loading machines.
- Each and every shot monitored including any control ammunition.
- A system that allows regular cleaning and the warming of barrels during testing.
- Evaluation of firearm for performance and consistency against known parameters.
- Measurement of head space and case indentation for the highlighting of any wear.
- Copy of groups with patented consolidated score, to make batch selection clear and precise.
- Unique service offered to international shooters providing assistance with applying for Firearms Permit, flights and accommodation.

booking information

UK

Selco Way, off First Avenue
Sutton Coldfield B76 1BA
United Kingdom

Phone: +44 (0) 121 313 4539

GER

Stuttgarter Straße 120
Fellbach 70736
Germany

Phone: +49 (0) 711 5208 7028

USA

5999 U.S. Highway 83
Winters, Texas 79567
USA

Phone: +1 325-754-5771

NOR - Spring 2015

Dyrskuevegen 11
KLOFTA 2040, Oslo
Norway

Phone: +47 63 94 55 50

worldwide distributors

australia

Nioa
PO Box 191, Pinkenba
Queensland 4008
Tel +61 7 3621 9999
Fax +61 7 3621 9998
www.nioa.au
sales@nioa.com.au

Target Rifle Australia LTD

PO Box 178, Blayney
New South Wales 2799
Tel +61 2 6368 8483
www.targetammuntion.co.au

belgium

BVBA Frank
Wapens-Munitie Import-Export,
Waterrijtstraat 60, 3920 Lommel-nolimpark
Tel +32 11 800 950
Fax +32 11 800 959
info@wapenhandel.be

czech republic

CB SERVIS Centrum S.R.O
Strelnice Borek, PO Box 34,
37010 České Budejovice
Tel +420 387 225 430
Fax +420 387 225 430
www.guns-trade.cz
cbservis@gun-trade.cz

china

China Glory Sporting Goods Promotion Company
No.3 TiYuanGuan Road, Beijing 100763
Tel +86 10 6714 9153
Fax +86 10 6711 7557
www.licyp.com
zqcg2014@sina.com

Complant China National Complete Plant

Jingxin Building, A2 Donsanhuan, Beijing
Tel +86 10 8449 2613

denmark

Guntex A/S
Jægervej 7, 6900 Skjern
Tel +45 96 80 20 00
www.guntex.dk

estonia

Trapper OÜ
Võru 80, 50111 Tartu
Tel +372 7343900
Fax +372 7343991
www.trapper.ee
info@trapper.ee

france

Armurerie FONTAINE
3 Bd Fabert - BP 40055
08202 SEDAN Cedex
Tel +03 24 27 24 83
Fax +03 24 29 67 36
www.fontaine-tlr.com

Armurerie RECHT / ADS

12 rue du Commerce
F - 67202 WOLFISHEIM
Tel +03 88 77 19 96
Fax +03 88 76 57 95
www.recht.fr
contact@recht.fr

SN EUROPARM SAS

BP 10025, Avenue Rhin et Danube
72200 LA FLECHE
Tel +02 43 48 50 03
www.europarm.fr
michel.neveu@europarm.fr

georgia

Magnum Ltd
19 Tamar Mepe Ave., 0112, Tbilisi
Tel +995 32 953 487
Tel +995 32 956 742
www.magnum.ge

germany

AKAH - Albrecht Kind GmbH
51617 Gummersbach, PO Box 31 02 83
Tel +49 22 61 705
Fax +49 22 61 735 40
www.akah.de
info@akah.de

indonesia

PT AMADANI JAYA ISMAYA
Gedung AKA Lantai 9 #906Jl.
Bangka Raya No 2 Jakarta 12720 Indonesia
Tel +6221 718 2684
Fax +6221 718 1089

ireland

Ardee Sports Company
Pepperstown, Ardee, County Louth
Tel +353 41 685 3711
Fax +353 41 685 3072
www.ardeesports.com

italy

Diamant SASForli
Diamant SAS di Tassinari A.
& C.Via Degli Savi 3947122
Tel +39 543 725100
www.diamant-sas.it

japan

Gunsmith of Kunitomo Co. Ltd
Teramachi-Bukkoji, Shimogyo-ku,
600-8032 Kyoto
Tel +81 75 351 3037
Fax +81 75 351 3041
www.kunitomogs.co.jp
trade@kunitomogs.co.jp

kuwait

Al Hadaf Company - Equestrian Equipments
PO Box No.1835, Fire Bridge Street,
Farwaniya
Tel +965 24745489
Fax +965 24761833

macau

San Man Lei Lda
Travessa Almirante, Costa Cabral No.15 R/C
Tel +853 28 580385
Fax +853 28 525192

netherlands

Mikx
Rouaanstraat 31, Groningen
Netherlands 9723
Tel +31 (0) 50-318 09 48
Fax +31 (0) 50-314 38 20
www.mikx.nl
info@mikx.nl

new zealand

Target Shooting
New Zealand, P O Box 49 Levin 5540
Tel +64 06 368 6749
Fax +64 06 368 4596
www.targetshootingnz.co.nz
targetshootingnz@xtra.co.nz

norway

Schou Vapen A/S
Dyrskuevegen 11, 2040 Klofta
Tel +47 6394 5550
Fax +47 6394 5551
www.schouvapen.no

oman

Al Qannas Shop
PO Box 393, PC 511,Ibri, Oman
Tel +698 99311600

AL-Sayyad Arabian Ent

PO Box: 2445 - 211
Tel +698 23294020

Habsi Trad& Partners co. Llc

PO Box 2226, Postal code 111 Seeb
Sultanate of Oman
Tel +698 99355260

Trade wings LLC

IBRAHIM AL SAADI
P.O. BOX 389 PC. 118, Muscat, Oman
Tel +698 99318868

philippines

P B Dionisio and Co Inc
27 Don Alejandro Rocas Avenue,
1103 Quezon City,
Tel +632 411 7444
www.pbdionisio.com
info@pbdionisio.com

Precision Shooting Edge Group

Unit F35A First Basement Makati Cinema
Square Chino Rocas Avenue 1200 Makati City
Tel +632 403 1714

Twin Pines

4 Linwayway St, San Juan, Metro Manila
Tel +632 727 5252
Fax +632 727 5270
www.twinpines.com.ph
hagentopacio@twinpines.com.ph

poland

Kaliber
02-781 Warsaw, ul.M.Kolbego 16
Tel +48 22 641 60 46
Fax +48 22 641 60 46
www.kaliber.pl
kaliber@kaliber.com.pl

portugal

Regulforce Unipessoal Lda Lisbon
Rua Capitão Leilão nº66-C2800-133 Almada
Tel +351 218 822 846
www.soldiers-almada.com
regulforce@gmail.com

Normas - Comercio Portugal

International De Armas Unipessoal LDA,
Quinta DEFervanca,
Rua Visconde de Fervença
4755-235 Barcelo
Tel +351 253 833 680
www.norarmas.com
carlosgayo@norarmas.com

russia

CJSC -Kolchuga
109012, Moscow, Varkava str. 3, room 60
Tel +7 (8)495 2343443
info@kolchuga.ru

Novo- Obninsk Import

Магазин оружия «Охотник на Киевском»
Калужская обл., г.Обнинск, Киевское шоссе 11 Б
Телефон/факс: +7 48439 9-24-01

singapore

Hock Ann (Sports) Pte Ltd
273 Beach Road, Singapore 199548
Tel +65 6298 0551
Fax +65 6294 8733

slovenia

R.D.D.O.O.Ljubljana
Dolenjska C.111000 Ljubljana
Tel +386 (0)1 4280744

south africa

National Cartridge Co.Pty.Ltd.
119 Main Road, Plumstead, Cape Town
Tel +27 21 797 8787
www.suburbanguns.co.za
Info@suburbanguns.co.za

south Korea

S.Woo Trading Company
1st floor 608-31, Jayangdong,
Kwangjingu 143-865
Tel +82 2 3431 3042
Fax +82 2 456 4770
swookr@yahoo.co.kr

spain

Chano Shooting
c/Maria de Echarr, 18- 20 50018 Zaragoza
Tel +34 976 522684
Fax +34 976 741695
www.chanoshooting.com
correo@chanoshooting.com

switzerland

C-Ma Trading GmbH
Ruederstrasse 39, CH - 5040 Schöffland
Tel +41 62 791 5383
Fax +41 62 791 5384
www.c-ma.ch
info@c-ma.ch

Free-Sport SA

Rte, de Grives 6, 1763 Granges-Paccot
Tel +41 26 466 60 60
Fax +41 26 466 68 48
www.freesport.ch
info@freesport.ch

taiwan

Jen Shuenn Enterprise Co Ltd
No. 62 Kuang Chou 1st Street, Kaohsiung
Tel +886 7722 7172
Fax +886 7723 2616
jensheun@ksmail.seed.net.tw

thailand

The National Shooting Sport Association of Thailand Under Royal Patronage
2088 Ramkhamhang Road, Hau-Mark,
Bangkapi 10240
Tel +66 0 2369 3661-5
Fax +66 0 2369 3666-7
www.thaishooting.com
nssat@thaishooting.com

Payont Firearms Ltd.Part.

268/3 Sawanvithee Road, Nakornsawin
Thailand 6000
Tel +66 8 1733 2725

turkey

ALA Uluslararası Ltd
Turgutlu sk. 36/1, 06700 GOP Ankara
Tel +90 312 446 88 95
Fax +90 312 446 79 71
www.alainter.com
ataalper@alainter.com

usa

Zanders Sporting Goods
7525 State Route 154, Baldwin, IL 62217-1066
Tel +1 618 785 2235
Fax +1 618 785 2750
www.gzanders.com
sales@gzanders.com

ELEY Group Limited

Selco Way, off First Avenue
Minworth, Sutton Coldfield
West Midlands, B76 1BA, England

Tel: +44 (0) 121 313 4567

Fax: +44 (0) 121 313 4568

www.eley.co.uk

ELEY®